INDEX

Page

Acanthocephalid, *Plagiorhynchus formosus*, from the Chicken and the Robin: Myrna Jones 773-775
Acetic Acid—
as a Soil Disinfectant: William L. Doran .. 269-280
effect on—
germination and damping off of plants .. 272-275, 276-278
rot diseases of tobacco 270-272, 275-276, 278
soil acidity 271-272
use as soil disinfectant, cost 278-279
Acid—
acetic. *See* Acetic acid.
content of—
apples, effect of temperature 372-377
French cider apples 395-405
Acidity—
influence on growth of *Rhizoctonia solani* .. 902-903
titratable of—
American apples 410
apples, study 314-315, 350-364
Adsorption, water vapor and gases, by soil colloids 462-463, 465-466, 468-469
Aleuroplatus (*Orchamus*) *samoanus*, description 1002-1005
Aleyrodids, Two New Pests (Citrus), from India and the South Pacific: H. L. Dozier 1001-1005
Alfalfa, yields in uniform-cropping experiments 18-39
Allen, Ruth F.: Cytological Study of *Puccinia glumarum* on *Bromus marginatus* and *Triticum vulgare* 487-513
Amphistoma lunatum, identification as *Zygocotyle lunata* 911
Animals, Nutrition, Comparative Value of the Proteins of Linseed Meal and Cottonseed Meal: R. M. Bethke, G. Bohstedt, H. L. Sassaman, D. C. Kennard, and B. H. Edington 855-871
Anthonomus grandis. *See* Boll weevil.
Aplanobacter stewarti—
cause of bacterial wilt in corn 905
inoculation of Dent corn 906
Apple—
Chemical Composition, Relation to Mean Summer or "Optimum" Temperatures: Joseph S. Caldwell 367-389
crab, wild southern, juice analysis 405
Curculio—
Control by Hogs: B. B. Fulton 249-261
control experiments 257-260
injury to fruit, description 249-253
seasonal history and habits 253-256
juices—
analyses 294-325, 372-377, 394-406, 410-417
Chemical Composition as Affected by Climatic Conditions: Joseph S. Caldwell 289-365
Apples—
acid-astringency-sugar ratio for varieties .. 319-323
acidity, study 314-315, 350-364
American—
acid-astringency-sugar ratio for varieties .. 411-416
Chemical Composition of Juices: Joseph S. Caldwell 407-417
astringency—
content, study 323-325, 350-351, 354, 355, 357-361, 363-364
determination 393
astringent, acid content 404-405, 411-416
Changes Produced by Use of Cleaning and Oil-coating Processes: J. R. Neller .. 429-436
cider, juices, analyses, results 394-406
cleaning methods for removal of spray residue 429-430

Page

Apples—Continued.
composition—
analysis by varieties 372-377
relation to seasonal conditions .. 350-358, 362-364
dessert quality, relation to chemical composition 378-384
French cider—
acid-astringency-sugar ratio 400-403
and Others of Like Character, Chemical Composition: Joseph S. Caldwell 391-406
injury by curculio 250-255
moisture content, effect of cleaning and oiling 431-436
oiling, effects 431-436
production, relation to climate, Arlington, Va., 1918-1925 338-345
respiration rates, effect of cleaning and oiling 430-436
varieties, juice analyses, 1920-1925 294-309
weight, loss from cleaning and oiling .. 430-434, 436
Armstrong, George M.: The Toughness of Cotton Bolls in Relation to Age and Nutrient Supply as Measured by Pressure Tests 1011-1025
Arsenicals, chemical changes in storage 183-191
Arsenites, use against Canada thistle 925, 930-931, 932
Arthropods, Root-feeding, Simple Method for Life History Studies: Ed. M. Searls ... 639-645
Ascomycete Neurospora—
Production of Fertile Hybrids in: B. O. Dodge 1-14
sex factors in cross breeding 7-13
Aslander, Alfred: Experiments on the Eradication of Canada Thistle, *Cirsium arvense*, with Chlorates and Other Herbicides 915-934
Astringency, content of apples, effect of temperature 372-377
Avocado blemish, relation to lilac blight ... 226-227
Awns—
oats, development, inheritance studies ... 438, 445-447, 451, 454-456
wheat, inheritance studies ... 880-882, 888-894, 896

Bacteria, effect on nutrition, growth, and pupation of seed-corn maggot 626-630
Bacterial—
halo spot. *See* Halo spot, bacterial.
wilt. *See* Wilt, bacterial.
Bacterium—
citriputeale, cause of lilac blight 225-227
puerariae Hedges—
Cause of Bacterial Halo Spot of Kudzu: Florence Hedges 422
cultural characters 423-424
cultural tests 424-428
description 428
syringae—
cause of lilac blight 225-227
characters, cultural and physiological .. 232-234
Barley—
characters, inheritance in crosses between species 968-970
Inheritance of Resistance to Rusty Blotch in: W. W. Mackie 965-975
rusty-blotch resistance, inheritance in crosses 965-975
seedlings, effect of herbicides on 926, 927, 930
Bateman, George Monroe, and Sharp, Paul Francis: A Study of the Apparent Viscosity of Milk as Influenced by Some Physical Factors 647-674
Bean, Lima, inoculation with halo blight .. 421-422
Bed rot, of tobacco, control by acetic acid .. 275-276
Beetle, striped, of cucumber, life-history studies, method 639-645

Page

Beets, Sugar—
Individual, Analysis by Use of Refractometer: Sidney F. Sherwood 41–52
juice, solid content and purity, determination 42–51
yields in uniform-cropping experiments 18,
Bethke, R. M.— 21, 22, 24–25, 29–32, 36, 37
Bohstedt, G.; Sassaman, H. L.; Kennard, D. C.; and Edington, B. H.: The Comparative Nutritive Value of the Proteins of Linseed Meal and Cottonseed Meal for Different Animals 855–871
Zinzalian, G.; Kennard, D. C.; and Sassaman, H. L.: The Antirachitic Properties of Cod Liver Meals 747–753
Beverages, apple, analyses of juices for 394–406
Bidwell, G. L.; McKinney, R. S.; and James, L. H.: An Observed Case of "Spontaneous" Ignition in Stable Manure 481–485
Birds, hosts of *Zygocotyle lunata*, data 912–914
Black, W. H.; Lush, J. L.; Christensen, F. W.; and Wilson, C. V.: The Accuracy of Cattle Weights 551–580
Black pit, relation to lilac blight ..... 225–227.
Blight—
bacterial, of soy beans, distinction from frog-eye leaf spot 816
lilac. *See* Lilac blight.
Blights, seedling, of corn, control by seed treatments 237–247
Blotch, Rusty, in Barley, Inheritance of Resistance to: W. W. Mackie 965–975
Bohstedt, G.; Sassaman, H. L.; Kennard, D. C.; Edington, B. H.; and Bethke, R. M.: The Comparative Nutritive Value of the Proteins of Linseed Meal and Cottonseed Meal for Different Animals 855–871
Boll Weevil, Cotton—
Anthonomus grandis Boh., Dispersal: F. A. Fenton and E. W. Dunnam 135–149
damage to cotton, relation to boll size and other factors 1023–1024
dispersal, relation to environment 143–148
flight activities, trap-crop studies 135–149
Bolls, cotton. *See* Cotton bolls.
Bone, calcification by cod-liver diet, experimental results 747–753
Bread mold, red, fungi, crossing for fertile hybrids 1–13
Breeding—
cattle, effect on weights 569–572
corn, for bacterial wilt resistance 905, 908, 910
date palms, experiments 97–128
fungi of red bread mold, for fertile hybrids 1–13
oats, for rust and smut resistance and other characters 438–456
See also Crossbreeding.
Brome grass, mountain, large, stripe rust of, cytological study 487–511
Bromus marginatus, Puccinia glumarum on, Cytological Study: Ruth F. Allen 487–511
Brown spot, of soy beans, distinction from frog-eye leaf spot 816
Brown-patch disease, large, of turf, causal organism, study 897–903
Bryan, Mary K.: Lilac Blight in United States 225–235
Buckner, G. Davis; Martin, J. Holmes; and Peter, A. M.: The Relative Utilization of Different Calcium Compounds by Hens in the Production of Eggs 263–268

Calcium Compounds, Relative Utilization by Hens in the Production of Eggs: G. Davis Buckner, J. Holmes Martin, and A. M. Peter 263–268
Caldwell, Joseph S.:
Chemical Composition of—
American-grown French Cider Apples and Other Apples of Like Character 391–406
Apple Juices as Affected by Climatic Conditions 289–365
the Juices of Some American Apples 407–417
Mean Summer or "Optimum" temperatures in Relation to Chemical Composition in the Apple 367–389

Page

Calves, feeding linseed meal and cottonseed meal, effects 868, 869, 870
Canada thistle. *See* Thistle, Canada.
Cascade National Forest, growth studies of Douglas fir 194–197
Cattle—
Dairy, Digestive Process, Effects of Fasting and Method of Preparation of Feed: W. B. Nevens 777–794
disposition, effect on weight 569–572, 578
fasting, effect on gastrointestinal contents 781–784
gastrointestinal contents, examination, results 781–792
Weights—
Accuracy: J. L. Lush, F. W. Christensen, C. V. Wilson, and W. H. Black 551–580
and gains, calculation, methods 554–557, 574–579
comparisons for different breeds 569–572
on various rations 566–568
Cercospora—
canescens, parasitism on soy beans 811
diazu Miura—
Cause of Frog-Eye Leaf Spot of Soy Bean: Samuel G. Lehman 811–833
conidia, germination and development 824–825
cultural characters 820–830, 832
isolation and description 818–824
Chaetochloa magna. *See* Millet, Everglade.
Chalcid fly, parasitism on apple curculio 257
Chalcidoids, parasitism on Hessian fly 153–155
Chickens—
antirachitic experiments with cod-liver meals 747–750, 753
feeding with—
linseed meal and cottonseed meal, effects 866–867, 869, 870
skim milk, effect on growth 516–522, 529–539
growth—
curves, method of fitting 522–529
effect of feeding skim milk 516–522, 529–539
Relation to Feed Consumption: Morley A. Jull and Harry W. Titus 541–550
live weights, relation to feed consumption 543–547, 549–550
Rhode Island Reds, Growth, and Effect of Feeding Skim Milk on the Constants of their Growth Curves: Harry W. Titus and Morley A. Jull 515–540
sex, influence on growth 535–536
weight—
calculation by growth curve 522–529
curve, method of fitting 547–550
worm parasite, *Plagiorhynchus formosus*, description 773–775
Chicks—
growth, effect of feeding skim milk 516–522
live weights, relation to feed consumption 543–550
See also Chickens.
Chlorates—
decomposition in soil 930, 931, 932
effectiveness—
against Canada thistle 922–927, 931–932
in weed destruction 915–917, 931
Christensen, F. W.; Wilson, C. V.; Black, W. H.; and Lush, J. L.: The Accuracy of Cattle Weights 551–580
Cider, analyses of apple juices for 394–406
Cirsium arvense. *See* Thistle, Canada.
Citron. *See* Citrus.
Citrus—
Aleyrodids, Two New Pests from India and the South Pacific: H. L. Dozier 1001–1005
blast, relation to lilac blight 225–227
insects. *See* Citrus pests.
mite—
description 176
Taxonomic Status with Reference to the Deciduous-Fruit Paratetranychus: E. A. McGregor and E. J. Newcomer 157–181
Pests, Two New Aleyrodids, from India and the South Pacific: H. L. Dozier 1001–1005
Climate—
conditions at Washington, D. C., 1918–1925 325–337
Effects on Chemical Composition of Apple Juices: Joseph S. Caldwell 289–365

Page

Cod-liver—
Meals, Antirachitic Properties: R. M. Bethke, G. Zinzalian, D. C. Kennard, and H. L. Sassaman ... 747–753
oil, antirachitic value, comparison with cod-liver meal ... 749, 752–753
products, vitamin content, study ... 747–753
Colloids, Soil, Variations in Typical Areas of Leonardtown Silt Loam: R. S. Holmes. 459–470
Columbia National Forest, growth studies of Douglas fir ... 201–203
Conifers, growth rates, measurements in sample plots ... 194–215
Corms, gladiolus, Penicillium rot, description ... 217–218
Corn—
Dent—
Inbred Strains and Crosses, Differences in Resistance to Bacterial Wilt: C. S. Reddy and J. R. Holbert ... 905–910
inoculation with *Aplanobacter stewarti* ... 906
resistance to bacterial wilt, differences between crosses and inbred strains ... 905–910
inoculation with smut, resistance experiments ... 77–88
maggot. *See* Seed corn maggot.
seedling blights, control by seed treatments ... 237–247
Smut-Resistant, Susceptibility when Artificially Inoculated: Marion A. Griffiths ... 77–89
sweet—
blight-infected, yields from treated and untreated seed ... 243–246
Diseases, Seed Treatments for, Further Experiments: C. S. Reddy and J. R. Holbert ... 237–247
seed treatments for blight, experiments. 237–245
wilt, bacterial, control ... 905, 910
yields in uniform-cropping experiments ... 18–31, 37–38
Cotton—
bolls—
chemical composition and contents, analyses ... 474–476
Development, and Rate of Formation of Gossypol in Cotton Seed, Chemical Study: Willis D. Gallup ... 471–480
dry contents, weight ... 472–473
puncture tests, results ... 1014–1021
size, relation to toughness ... 1021–1022
Toughness in Relation to Age and Nutrient Supply as Measured by Pressure Tests: George M. Armstrong ... 1011–1025
wall-thickness, relation to toughness. 1022–1023
damage by boll weevil, relation to boll size and other factors ... 1023–1024
seed. *See* Seed, cotton.
Seedling—
Mortality in Sea-Island, Egyptian, and Upland Varieties, Applicability of Pearson's Equivalent Probability *r* Method to the Problem: J. Arthur Harris and Marie M. Ness ... 615–623
Stand, in Sea-Island, Egyptian, and Upland Varieties, Application of Criterion of Deviation of an Observed from a Random Distribution to the Problem: J. Arthur Harris, George J. Harrison, and F. M. Wadley ... 603–614
stands, comparison in different varieties ... 606–610
seedlings, distribution—
comparison in different varieties ... 612–614
per hill, determination method ... 604–605
permutation frequencies ... 622
square production, relation to boll-weevil dispersal ... 143, 144–145
varieties—
comparison in boll toughness and other factors ... 1015–1023
distribution in hills, comparison ... 606–614
yields, effect of seedling mortality, study. 615–622
Cotton-boll weevil. *See* Boll weevil.

Page

Cottonseed meal—
digestibility experiments ... 859–868
Proteins, Nutritive Value for Different Animals, Comparison with Linseed Meal: R. M. Bethke, G. Bohstedt, H. L. Sassaman, D. C. Kennard, and B. H. Edington ... 855–871
toxicity to pigs ... 856, 857, 864, 865–866, 869
Cow, host of *Zygocotyle lunata*, data ... 911–914
See also Cattle.
Crab apple, wild southern, juice analysis ... 405
Cream. *See* Milk.
Crops—
diversification, experimental results in plotted fields ... 15–39
yields in uniform-cropping experiments ... 18–39
Crossbreeding—
barley, for rusty-blotch resistance ... 965–975
date palms, effects of pollination ... 105–128
fungi of red bread mold, for fertile hybrids 1–13
oats, for rust and smut resistance and other characters ... 438–456
rice, for earliness and other characters ... 582–601
wheat, Sevier and Kanred varieties, study 874–896
See also Breeding.
Cucumber—
beetle, striped, life-history studies, method ... 639–645
Flowers, Sex Ratios, Effects of Different Conditions of Soil and Light: Victor A. Tiedjens ... 721–746
genetic studies, relation of shape and size of fruit ... 808, 809
See also *Cucumis sativus* L.
Cucumbers—
environment studies ... 733–742, 743–744, 795–809
flower production, effect of—
light ... 724–729
soil fertility ... 729–731
flowers, pistillate, effect on fruit shape ... 795–797, 804
fruit—
development, effect on ratio of staminate and pistillate flowers ... 731–733
shape, factors affecting ... 797–808
germination and damping off, effect of acetic acid on ... 272–275
self-pollination, studies ... 722–723
Cucumis sativus L.—
Fruit Shape, Relation of Environment to, and Its Bearing on the Genetic Potentialties of Plants: Victor A. Tiedjens ... 795–809
See also Cucumber.
Culms—
rice, inheritance study ... 596–597
wheat, number, inheritance study ... 884–885
Curculio, apple. *See* Apple curculio.

Dahl, Arnold S., and Monteith, John, jr.: A Comparison of Some Strains of *Rhizoctonia solani* in Culture ... 897–903
Dairy Cattle, Digestive Process, Effects of Fasting and Method of Preparation of Feed: W. B. Nevens ... 777–794
Date—
fruit—
and seeds, measurements in pollination experiments ... 116–125
ripening, effects of pollination ... 107–116, 125–128
palm. *See* Palm, date.
Dates, seed production, test of pollination. 105–107
Deciduous fruit mite. *See* Mite, deciduous fruit.
Diabrotica vittata, life-history studies, method ... 639–645
Dialeurodes (*Dialeurolonga*) *elongata*, description ... 1001–1002
Digestion, Dairy Cattle, Effects of Fasting and Method of Preparation of Feed: W. B. Nevens ... 777–794
Diplodia zeae, cause of corn blight ... 237
Disinfectants, use against blights of sweet corn ... 238–240, 242–247
Dodge, B. O.: Production of Fertile Hybrids in the Ascomycete Neurospora ... 1–14

Page

Doran, William L.—
Acetic Acid as a Soil Disinfectant 269–280
The Growth of Tobacco and Brown Root Rot of Tobacco as Affected by Timothy Infusions of Different Ages 281–287
Douglas fir. *See* Fir, Douglas.
Downy mildew. *See* Mildew, downy.
Dozier, H. L.: Two New Aleyrodid (Citrus) Pests from India and the South Pacific 1001–1005
Drainage, relation to crop yields in experimental fields 17–18
Dunnam, E. W., and Fenton, F. A.: Dispersal of the Cotton-Boll Weevil, *Anthonomus grandis* Boh 135–149
Dunning, Duncan: A Tree Classification for the Selection Forests of the Sierra Nevada 755–771
Dusting Mixtures of Sulphur, Lead Arsenate, and Lime, Chemical Changes During Storage: H. S. Swingle 183–192
Dusts—
effectiveness, determination, apparatus for 1007–1009
injury to peach trees, experiments 190–191
sulphur-lead-arsenate-lime, changes in storage 183–191
use against blights of sweet corn .. 238–240, 242–247

Earliness, inheritance in rice, experimental results 582–591
Edington, B. H., Bethke, R. M.; Bohstedt, G.; Sassaman, H. L.; and Kennard, D. C.: The Comparative Nutritive Value of the Proteins of Linseed Meal and Cottonseed Meal for Different Animals 855–871
Eggs, Production, Relative Utilization of Different Calcium Compounds by Hens: G. Davis Buckner, J. Holmes Martin, and A. M. Peter 263–268
Eggshell, weight, variation with calcium diet of hens 264–268
Embryos, wheat, respiration and enzyme activity 632–635, 636
Endosperm, wheat, respiration and enzyme activity 632–635, 636
Environment—
cucumber, effect on development of plants, fruit, and flowers 733–742, 743–744, 795–809
Cucumis sativus L., Relation to Shape of Fruit and Bearing on Genetic Potentialities of Plants: Victor A. Tiedjens .. 795–809
Enzymes, secretion in embryoless seeds 632–635, 636
Eupelmus allynii, parasitism on—
Hessian fly 153–154, 155
Hessian fly parasites 155
European red mite. *See* Mite, red, European.
Experimental Field, Plots, Permanence of Differences, Further Studies: J. Arthur Harris and C. S. Scofield 15–40

Fasting, cattle, effect on gastrointestinal contents 781–784
Feed—
cattle, preparation method, effect on gastrointestinal contents 785–788
Chickens, Relation of Consumption to Growth: Morley A. Jull and Harry W. Titus 541–550
Feeds—
chicken, effects on growth 516–522, 529–539
livestock, value of linseed meal and cottonseed meal 855–870
Fenton, F. A., and Dunnam, E. W.: Dispersal of the Cotton-Boll Weevil, *Anthonomus grandis* Boh 135–149
Fertilization Receptivity, Date-Palm Flowers, Length of Time, Determination: A. R. Leding 129–134
Field, Experimental Plots, Permanence of Difference, Further Studies: J. Arthur Harris and C. S. Scofield 15–40
Fir, Douglas—
diameter growth, computation 208–214
growth rates, measurements in sample plots 194–215

Page

Fir, Douglas—Continued.
Immature, Growth Rates as Shown by Periodic Remeasurements on Permanent Sample Plots: Walter H. Meyer 193–215
mortality in sample plots 197, 201, 203
yield normality in sample plots 205–208
Fires, farm, manure ignition as cause 481–485
Flatworms, genus Zygocotyle, host relationship 911–914
Flies—
chalcid, parasitism on Hessian fly 153–155
seed-corn maggot, effect of bacteria on nutrition and growth 628
Flower production, cucumbers—
effect of light 724–729
effect of soil fertility 729–731
Flowers—
Cucumber, Sex Ratios, Effects of Different Conditions of Soil and Light: Victor A. Tiedjens 721–726
Date Palm, Fertilization Receptivity, Time Factor, Determination: A. R. Leding 129–134
pistillate, in cucumbers, effect on fruit shape 795–797
staminate and pistillate, in cucumbers, ratio, effect of fruit development 731–733
Fly, Hessian. *See* Hessian fly.
Foliage, Sprayed, Apparatus for Obtaining Measured Areas for Chemical Analyses: Joseph M. Ginsburg 1007–1009
Forest—
Plantations, Partial Measurements, Preliminary Report on: R. R. Paton and L. J. Leffelman 91–96
Planting, Northern Rocky Mountains, Experiments with Classes of Stock Suitable for: W. G. Wahlenberg 977–1000
Forests—
sample plots—
annual increments per acre 196–197, 200–201, 203, 204
measurement studies of Douglas fir 193–215
tree classification, need and basis 756–758
values per acre 196, 200, 202, 203–204
Selection, of Sierra Nevada, Tree Classification for: Duncan Dunning 755–771
Formaldehyde—
effect on germination and damping off of plants 272–275
use as soil disinfectant, cost 278–279
Freezing, milk, effect on viscosity .. 666–667, 671, 672
Frog-eye leaf spot. *See* Leaf spot, frog-eye.
Fulton, B. B.: The Apple Curculio and Its Control by Hogs 249–261
Fungi, red bread-mold, crossing for fertile hybrids 1–13
Fungicides—
adhesion to foliage, apparatus for aid in determination 1007–1009
chemical changes during storage 183–191
Fungus, tomato-wilt. *See* Tomato-wilt fungus.
Fusarium lycopersici Sacc.—
Tomato-Wilt Fungus, Pathogenicity of Two Strains: H. H. Haymaker 675–695
Toxic Excretory Products from Two Strains, Relation to Tomato Wilt: H. H. Haymaker 697–719
See also Tomato-wilt fungus.

Gallup, Willis D.: A Chemical Study of the Development of Cotton Bolls and the Rate of Formation of Gossypol in the Cotton Seed 471–480
Genetics—
wheat, study in Kanred and Sevier crosses 875–896
See also Inheritance.
Gibberella saubinetii, cause of corn blight 237
Ginsburg, Joseph M.: An Apparatus for Obtaining Measured Areas of Sprayed Foliage for Chemical Analyses 1007–1009
Gladioli, diseases, sclerotial 222–223
Gladiolus corms—
inoculation with Penicillium rot, experiments 218–219

Page

Gladiolus corms—Continued.
Rot Caused by *Penicillium gladioli* L. McC. and Thom: Lucia McCulloch and Charles Thom ... 217–224
Gossypol, Formation Rate in Cotton Seed, and Development of Cotton Bolls, Chemical Study: Willis D. Gallup ... 471–480
Grass, brown-patch disease, study of causal organism ... 897–903
Griffee, Fred; Stevenson, F. J.; Lunden, A. P.; and Hayes, H. K.: Correlated Studies in Oats of the Inheritance of Reaction to Stem Rust and Smuts and of Other Differential Characters ... 437–457
Griffiths, Marion A.: Smut Susceptibility of Naturally Resistant Corn when Artificially Inoculated ... 77–89
Gypsum, effect of feeding to hens ... 265, 268

Halo blight. *See* Halo spot.
Halo Spot, Bacterial, of Kudzu—
Caused by *Bacterium puerariae* Hedges: Florence Hedges ... 419–428
dissemination and control ... 422–423
history and description ... 419–420
Harris, J. Arthur—
and Ness, Marie M.: Applicability of Pearson's Equivalent Probability *r* Method to the Problem of Seedling Mortality in Sea-Island, Egyptian, and Upland Cotton ... 615–623
and Scofield, C. S.: Further Studies on the Permanence of Differences in the Plots of an Experimental Field ... 15–40
Harrison, George J., and Wadley, F. M.: Illustrations of the Application of a Criterion of the Deviation of an Observed from a Random Distribution to the Problem of Seedling Stand in Sea-Island, Egyptian, and Upland Cotton ... 603–614
Harrison, George J.; Wadley, F. M.; and Harris, J. Arthur: Illustration of the Application of a Criterion of the Deviation of an Observed from a Random Distribution to the Problem of Seedling Stand in Sea-Island, Egyptian, and Upland Cotton ... 603–614
Hayes, H. K.; Griffee, Fred; Stevenson, F. J. and Lunden, A. P.: Correlated Studies in Oats of the Inheritance of Reaction to Stem Rust and Smuts and of Other Differential Characters ... 437–457
Haymaker, H. H.—
Pathogenicity of Two Strains of the Tomato-Wilt Fungus, *Fusarium lycopersici* Sacc ... 675–695
Relation of Toxic Excretory Products from Two Strains of *Fusarium lycopersici* Sacc. to Tomato Wilt ... 697–719
Heat production, in manure, observations ... 481–485
Hedges, Florence: Bacterial Halo Spot of Kudzu Caused by *Bacterium puerariae* Hedges ... 419–428
Helminthosporium californicum, cause of rusty blotch in barley ... 965
Hens—
egg production, relation to feed consumption ... 541
Egg Production, Relative Utilization of Different Calcium Compounds: G. Davis Buckner, J. Holmes Martin, and A. M. Peter ... 263–268
Herbicides—
decomposition in soil ... 925–927, 929–931, 932
effect on soil organisms ... 928–929
penetration through soil ... 923–925, 929–932
use in eradication of Canada thistle ... 915–932
weed-control, effect of seasons ... 919–923
Heredity. *See* Inheritance.
Hessian fly—
Phytophaga destructor (Say), Parasites of, Status in Pennsylvania, Maryland, and Virginia; C. C. Hill and H. D. Smith ... 151–155
Heterothallism, definition ... 1
Hill, C. C., and Smith, H. D.: Status of the Parasites of the Hessian Fly, *Phytophaga destructor* (Say), in Pennsylvania, Maryland, and Virginia ... 151–155

Page

Hogs—
Control of Apple Curculio: B. B. Fulton ... 249–261
pasturing in orchards for curculio control ... 257–261
Holbert, J. R., and Reddy, C. S.—
Differences in Resistance to Bacterial Wilt in Inbred Strains and Crosses of Dent Corn ... 905–910
Further Experiments with Seed Treatments for Sweet-Corn Diseases ... 237–247
Holmes, R. S.: Variations of Colloidal Material in Typical Areas of Leonardtown Silt Loam Soil ... 459–470
Hordeum spp. *See* Barley.
Huff, Clay G.: Nutrition Studies on the Seed-Corn Maggot, *Hylemyia cilicrura* Rondani ... 625–630
Hybrids, Fertile, Production in Ascomycete Neurospora: B. O. Dodge ... 1–14
Hydrochloric acid, use in cleaning apples, effect ... 429–431, 436
Hylemyia cilicrura Rondani. *See* Seed-corn maggot.
Hyperparasites, Hessian fly, in Pennsylvania, Maryland, and Virginia ... 154–155

Ignition, "Spontaneous," in Stable Manure, An Observed Case: L. H. James, G. L. Bidwell, and R. S. McKinney ... 481–485
Inheritance—
Correlated, in Wheat, Kanred × Sevier Varieties: George Stewart ... 873–896
cucumber characters, study ... 808, 809
in Barley, of Resistance to Rusty Blotch: W. W. Mackie ... 965–975
in Oats, of Reaction to Stem Rust and Smuts and Other Differential Characters; Correlated Studies: H. K. Hayes, Fred Griffee, F. J. Stevenson, and A. P. Lunden ... 437–457
in Rice, of Earliness and Other Agronomic Characters: Jenkin W. Jones ... 581–601
wheat characters, correlation studies ... 887–896
Inoculation—
Corn, with smut, resistance experiments ... 77–88
lilacs, with *Bacterium syringae* ... 228–231
soy beans, with frog-eye leaf-spot fungus ... 825–826
tomatoes, with wilt fungus, experiments ... 679–692
Insecticides—
adhesion to foliage, apparatus for aid in determination ... 1007–1009
chemical changes during storage ... 183–191
Insects, root-feeding, life-history studies, method ... 639–645
Irrigation, experimental fields, methods ... 16–18

James, L. H.; Bidwell, G. L.; and McKinney, R. S.; An Observed Case of "Spontaneous" Ignition in Stable Manure ... 481–485
Jones—
Jenkin, W.: Inheritance of Earliness and Other Agronomic Characters in Rice ... 581–601
Myrna: An Acanthocephalid, *Plagiorhynchus formosus*, from the Chicken and the Robin ... 773–775
Juice, sugar-beet, analysis by use of refractometer ... 41–51
Juices, apple, analyses ... 294–325, 372–377, 394–406, 410–417
Jull, Morley A., and Titus, Harry W.—
Growth of Chickens in Relation to Feed Consumption ... 541–550
The Growth of Rhode Island Reds and the Effect of Feeding Skim Milk on the Constants of their Growth Curves ... 515–540

Kennard, D. C.—
Edington, B. H.; Bethke, R. M.; Bohstedt, G.; and Sassaman, H. L.: The Comparative Nutritive Value of the Proteins of Linseed Meal and Cottonseed Meal for Different Animals ... 855–871
Sassaman, H. L.; Bethke, R. M.; and Zinzalian, G., The Antirachitic Properties of Cod-Liver Meals ... 747–753
Kudzu—
Bacterial Halo Spot Caused by *Bacterium puerariae* Hedges: Florence Hedges ... 419–428
growing from seed ... 421

Page

Larvae—
apple curculio, resistance to heat ... 256–257
seed-corn maggot, food requirements, study ... 626–630
Lead arsenate-sulphur-lime dusting mixtures, chemical changes in storage ... 183–192
Leaf Spot, Frog-Eye, of Soy Beans—
Caused by *Cercospora diazu* Miura: Samuel G. Lehman ... 811–833
description ... 813–817
dissemination and control ... 831, 832
distribution and economic importance ... 817–818, 831
identity of causal fungus ... 826–828, 832
pathological effects on host ... 828–829
Leaves, sprayed, apparatus for obtaining measured areas ... 1007–1009
Leding, A. R.: Determination of Length of Time during which the Flowers of the Date Palm Remain Receptive to Fertilization ... 129–134
Leffelman, L. J., and Paton, R. R.: Preliminary Report on Partial Measurements of Forest Plantations ... 91–96
Lehman, Samuel G.: Frog-Eye Leaf Spot of Soy Bean Caused by *Cercospora diazu* Miura ... 811–833
Leonardtown Silt Loam Soil. *See* Soil, Leonardtown silt loam.
Lettuce, germination and damping off, effect of acetic acid on ... 272–275
Light, effect on—
development of cucumber fruit ... 804, 807–808, 809
flower production in cucumbers ... 724–729, 740–742, 744
Lilac Blight—
in United States: Mary K. Bryan ... 225–235
origin and control ... 231–232
symptoms and involvement of tissues ... 227–228
Lilacs, inoculation with *Bacterium syringae* ... 228–231
Lima bean, inoculation with halo spot ... 421–422
Lime-sulphur-lead-arsenate dusting mixtures, chemical changes in storage ... 183–192
Limestone, utilization by hens in egg production ... 264–268
Linseed meal—
digestibility experiments ... 859–868
Proteins, Nutritive Value for Different Animals, Comparison with Cottonseed Meal: R. M. Bethke, G. Bohstedt, H. L. Sassaman, D. C. Kennard, and B. H. Edington ... 855–871
Lint, cotton, composition, analyses results ... 474, 475–476
Livestock, feed value of linseed meal and cottonseed meal ... 855–870
Lunden, A. P.; Hayes, H. K.; Griffee, Fred; and Stevenson, F. J.: Correlated Studies in Oats of the Inheritance of Reaction to Stem Rust and Smuts and of Other Differential Characters ... 437–457
Lush, J. L.; Christensen, F. W.; Wilson, C. V.; and Black, W. H.: The Accuracy of Cattle Weights ... 551–580
Lyon, Mildred E.: The Occurrence and Behavior of Embryoless Wheat Seeds ... 631–637

Mackie, W. W.: Inheritance of Resistance to Rusty Blotch in Barley ... 965–975
Maggot, seed-corn. *See* Seed-corn maggot.
Malic acid, content of—
American apples ... 411–416
French cider apples ... 396–397
Manure—
Stable, "Spontaneous" Ignition, An Observed Case: L. H. James, G. L. Bidwell, and R. S. McKinney ... 481–485
temperature observations ... 482–485
Martin, J. Holmes; Peter, A. M.; and Buckner, G. Davis: The Relative Utilization of Different Calcium Compounds by Hens in the Production of Eggs ... 263–268
McCulloch, Lucia, and Thom, Charles: A Rot of Gladiolus Corms Caused by *Penicillium gladioli*, L. McC. and Thom ... 217–224
McGregor, E. A., and Newcomer, E. J.: Taxonomic Status of the Deciduous-Fruit Paratetranychus with Reference to the Citrus Mite (*P. citri*) ... 157–181

Page

McKinney, R. S.; James, L. H.; and Bidwell, G. L.: An Observed Case of "Spontaneous" Ignition in Stable Manure ... 481–485
Meal—
cottonseed. *See* Cottonseed meal.
linseed. *See* Linseed meal.
Meals, Cod-liver, Antirachitic Properties: R. M. Bethke, G. Zinzalian, D. C. Kennard, and H. L. Sassaman ... 747–753
Merinus spp., parasitism on Hessian fly ... 153–154, 155
Meyer, Walter H.: Rates of Growth of Immature Douglas Fir as Shown by Periodic Remeasurements on Permanent Sample Plots ... 193–215
Migration, boll weevil, trap-crop studies ... 135–149
Mildew, downy—
host records ... 937–938, 957–959, 962
means of spread ... 954–957, 961–962
of soy beans, distinction from frog-eye leaf spot ... 816–817
on Everglade Millet in Florida: William H. Weston, jr., and George F. Weber ... 935–964
pathogenicity ... 957–959, 961
symptoms and effect on Everglade millet ... 938–946
Milk—
aging, effect on viscosity ... 662–665, 666, 670, 672
dilution, effect on viscosity ... 667–669, 671, 672
freezing, effect on viscosity ... 666–667, 671, 672
homogenization, effect on viscosity ... 661, 662–670, 672
pasteurization, effect on viscosity ... 665–666, 671, 672
skim, feeding to Rhode Island Reds, effects on growth curves ... 516–522, 529–539
Viscosity—
Apparent, as Influenced by Some Physical Factors, Study: George Monroe Bateman and Paul Francis Sharp ... 647–674
effect of forcing through capillary tube ... 657–660, 670–671
effect of varying pressure ... 652–656, 670, 671
Millet, Everglade—
description ... 936
downy-mildew—
infection, symptoms and effects ... 938–946
on, in Florida: William H. Weston, jr., and George F. Weber ... 935–964
Mite—
citrus. *See* Citrus mite.
deciduous-fruit—
comparison with citrus mite ... 157–180
northwestern, description ... 176
See also Mite, red, European.
red, European—
description ... 174
similarity to deciduous-fruit mite ... 158, 179–180
Mites, fruit—
crossbreeding experiments ... 158–163
feeding experiments, results ... 164–169
Mold, red, of bread, crossing of fungi for fertile hybrids ... 1–13
Monteith, John, jr., and Dahl, Arnold S.: A Comparison of Some Strains of *Rhizoctonia solani* in Culture ... 897–903
Morris, H. E., and Young, P. A.: Witches' Broom of Potatoes and Tomatoes ... 835–854
Mosaic Disease, Winter Wheat, Further Studies on Soil Relationships: Robert W. Webb ... 53–75
Mottling, wheat, transmission by mosaic-infested soil ... 56–75

Neller, J. R.: Changes Produced in Apples by the use of Cleaning and Oil-coating Processes ... 429–436
Ness, Marie M., and Harris, J. Arthur: Applicability of Pearson's Equivalent Probability *r* Method to the Problem of Seedling Mortality in Sea-Island, Egyptian, and Upland Cotton ... 615–623
Neurospora—
Ascomycete, Production of Fertile Hybrids in: B. O. Dodge ... 1–14
hybrids, first-generation, structures ... 5–8
spp.—
characteristics ... 2–3
crossbreeding, recovery of parent types ... 8–13

Page

Nevens, W. B.: Effects of Fasting and the Method of Preparation of Feed upon the Digestive Process in Dairy Cattle 777–794
Newcomer, E. J., and McGregor, E. A.: Taxonomic Status of the Deciduous-Fruit Paratetranychus with Reference to the Citrus Mite (*P. citri*) 157–181
Nitrogen metabolism, of rats, effects of linseed-meal and cottonseed-meal rations 860–861
Nixon, Roy W.: The Direct Effect of Pollen on the Fruit of the Date Palm 97–128
Nontannins, astringent, content of apples, study 318–319
Nursery stock, age and size classes for northern Rocky Mountains, tests 981–994
Nutrition—
  Studies on Seed-Corn Maggot, *Hylemyia cilicrura* Rondani: Clay G. Huff 625–630
  Value, Comparative, of Proteins of Linseed Meal and Cottonseed Meal for Different Animals: R. M. Bethke, G. Bohstedt, H. L. Sassaman, D. C. Kennard, and B. H. Edington 855–871

Oats—
  awns, development, inheritance studies 438, 445–447, 451, 454–456
  breeding for rust and smut resistance and other characters 438–456
  characters, linkage relations 449–456
  glumes, color, inheritance studies 438–452, 455–456
  Inheritance of Reaction to Stem Rust and Smuts and of Other Differential Characters, Correlated Studies: H. K. Hayes, Fred Griffee, F. J. Stevenson, and A. P. Lunden 437–457
  rachilla, hairiness, inheritance studies 440, 443–445, 450–451, 452–453, 454, 455–456
  resistance to stem rust, inheritance studies 437–456
  yield, effect of herbicides 920–923
  yields in uniform-cropping experiments 18, 21–22, 25, 27, 29–31, 37–38
Oil, content of cotton seed, relation to gossypol formation 471–472, 476–480
Orchards, apple, pasturing for curculio control 257–260

Palm—
  Canary Island, pollination effects, study 98–100, 105–107
  date—
    delayed-pollination experiments 131–134
    Flowers, Fertilization Receptivity, Time Factor, Determination: A. R. Leding 129–134
    Fruit, Effect of Pollen on: Roy W. Nixon 97–128
    Pollen, Effects on Fruit: Roy W. Nixon 97–128
Parasite—
  wild-bird, transfer to poultry 773, 775
  worm, of chicken and robin, description 773–775
Parasites, Hessian Fly (*Phytophaga destructor* Say), Status in Pennsylvania, Maryland, and Virginia: C. C. Hill and H. D. Smith 151–155
Paratetranychus—
  citri. *See* Citrus mite.
  Deciduous-fruit, Taxonomic Status with Reference to the Citrus Mite (*P. citri*): E. A. McGregor and E. J. Newcomer 157–181
  pilosus. *See* Mite, red, European.
Pasteurization, effect on viscosity of milk 665–666, 671, 672
Paton, R. R., and Leffelman, L. J.: Preliminary Report on Partial Measurements of Forest Plantations 91–96
Peach trees, dusting injury, experiments 190–191
Pearson's Equivalent Probability *r* Method, Application to Problem of Seedling Mortality in Sea-Island, Egyptian, and Upland Cotton: J. Arthur Harris and Marie M. Ness 615–623
Penicillium gladioli L. McC. and Thom—
  Cause of Rot of Gladiolus Corms: Lucia McCulloch and Charles Thom 217–224
  description 223
  vitality 222

Page

Peter, A. M.; Buckner, G. Davis; and Martin, J. Holmes: The Relative Utilization of Different Calcium Compounds by Hens in the Production of Eggs 263–268
Phoenix—
  canariensis, pollination, effects, study 98–100, 105–107
  dactylifera. *See* Palm, date.
Phytophaga destructor (Say). *See* Hessian Fly.
Pigs, feeding with linseed meal and cottonseed meal, effects 862–866, 869
Pines—
  pruning, aid in balance 994–995
  root length, effect on survival 995–999
  western white—
    age classes, planting tests 984–988, 999–1000
    planting in northern Rocky Mountains, experiments 977–981, 984–988, 993–1000
    size classes, planting tests 993–994, 1000
  western yellow—
    age classes, planting tests 981–984, 999–1000
    planting in northern Rocky Mountains, experiments 977–984, 988–993, 994–1000
    size classes, planting tests 988–993, 1000
Pinus—
  monticola. *See* Pine, western white.
  ponderosa. *See* Pine, western yellow.
Plagiorhynchus formosus, an Acanthocephalid from the Chicken and the Robin: Myrna Jones 773–775
Planesticus migratorius. *See* Robin.
Plantations, Forest, Partial Measurements, Preliminary Report on: R. R. Paton and L. J. Leffelman 91–96
Platygaster spp., parasitism on Hessian fly 151, 152–153, 154–155
Pleurotropis epigonus, parasitism on Hessian fly 153–154, 155
Poisons, weed, effect on crop plants 920–923, 926–927, 931, 932
Pollen, Date Palm, Effect on Fruit: Roy W. Nixon 97–128
Pollination—
  artificial, methods used on date palms 102–105
  cucumber, effect on fruit shape 797–801
  cucumbers, study 722–723
  delayed, experiments with date palm 131–134
Potatoes, witches' broom, study 835–846, 850, 851–852

Poultry. *See* Chickens.
Price, Emmett W.: The Host Relationship of the Trematode Genus Zygocotyle 911–914
Proteins, Linseed Meal and Cottonseed Meal, Comparative Nutritive Value for Different Animals: R. M. Bethke, G. Bohstedt, H. L. Sassaman, D. C. Kennard, and B. H. Edington 855–871
Pseudotsuga taxifolia. *See* Fir, Douglas.
Puccinia—
  glumarum—
    cell structure, study 491–511
    on *Bromus marginatus* and *Triticum vulgare*, Cytological Study: Ruth F. Allen 487–513
  graminis avenae, in oats, resistance, inheritance studies 437–456
Pueraria thunbergiana. *See* Kudzu.
Pupae, apple curculio, resistance to heat 256–257
Pustule, bacterial, of soy beans, distinction from frog-eye leaf spot 816
Pyrus angustifolia, juice analysis 405

Rachitis, prevention by cod-liver meals, study 747–753
Rainfall, Arlington (Va.), Experiment Farm—
  April–May, 1926 241
  data for 1918–1925 ..... 340, 342, 345–346, 348–349
Rations, cattle, effect on weights 566–568
Rats, antirachitic experiments with cod-liver meals 751–753
Red—
  mite. *See* Mite, red.
  spider, citrus. *See* Citrus mite.

Page

Reddy, C. S., and Holbert, J. R.—
Differences in Resistance to Bacterial Wilt in Inbred Strains and Crosses of Dent Corn ... 905–910
Further Experiments with Seed Treatments for Sweet-Corn Diseases ... 237–247
Refractometer, Use in Analysis of Individual Sugar Beets: Sidney F. Sherwood ... 41–52
Respiration, wheat seed, embryo and endosperm activity ... 632–635, 636
Rhizoctonia solani—
cause of bed rot of tobacco ... 275
Comparison of Some Strains in Culture: John Monteith, jr., and Arnold S. Dahl ... 897–903
control by use of acetic acid ... 275–276
growth, factors affecting ... 898–903
Rhode Island Reds, Growth and Effect of Feeding Skim Milk on the Constants of their Growth Curves: Henry W. Titus and Morley A. Jull ... 515–540
Rice—
characters, inheritance studies ... 582–601
height of plant, inheritance studies ... 595–596, 601
Inheritance of Earliness and Other Agronomic Characters: Jenkin W. Jones ... 581–601
maturity, inheritance studies ... 591–593, 601
neck, shape, inheritance studies ... 598, 600, 601
panicle length, inheritance studies ... 597–598, 601
yield, inheritance studies ... 594–595, 601
Rickets, prevention by cod-liver meals, study ... 747–753
Robin, worm parasite, *Plagiorhynchus formosus*, description ... 773–775
Rocky Mountains, Northern, Forest Planting, Experiments with Classes of Stock Suitable for: W. G. Wahlenberg ... 997–1000
Root rot—
black, of tobacco, control by acetic acid ... 270–272, 275–276
brown, of tobacco—
effect of timothy infusions of different ages on growth ... 281–287
prevention by acetic acid ... 278
Rosette, wheat, transmission by mosaic-infested soil ... 56–75
Rot, Penicillium, of gladiolus corms—
cultural characters ... 219–221
description ... 217–218
temperature relations ... 221–222
Rumen, of cow, contents after fasting and feeding ... 781–783, 785–794
Ruminants, digestive process, study in dairy cattle ... 777–794
Rust—
stem, of oats, resistance, inheritance studies ... 437–456
stripe—
comparison with other wheat rusts ... 507–510
of large mountain brome grass, cytological study ... 487–511
of wheat, cytological study ... 487–511
of wheat spore germination and entrance in host ... 507
Rusts, wheat, cell structure, comparison ... 507–510
Rusty Blotch, Barley, Resistance to, Inheritance: W. W. Mackie ... 965–975

Sassaman, H. L.—
Bethke, R. M.; Zinzalian, G.; and Kennard, D. C.: The Antirachitic Properties of Cod-Liver Meals ... 747–753
Kennard, D. C.; Edington, B. H.; Bethke, R. M.; and Bohstedt, G.: The Comparative Nutritive Value of the Proteins of Linseed Meal and Cottonseed Meal for Different Animals ... 855–871
Sclerospora graminicola—
cause of downy mildew on Everglade millet ... 935, 961
dissemination and persistence ... 954–957, 961–962
identity, structure, development, and environmental relations ... 946–954, 961
Scofield, C. S., and Harris, J. Arthur: Further Studies on the Permanence of Differences in the Plots of An Experimental Field ... 15–40

Page

Searls, Ed. M.: A Simple Method for Life-History Studies of Root-Feeding Arthropods ... 639–645
Seed—
corn, treatment for blight ... 237–247
cotton—
germination, study through frequency distribution of seedlings ... 603–614
Gossypol Formation Rate, and Development of Cotton Bolls, Chemical Study: Willis D. Gallup ... 471–480
oil content, relation to gossypol formation ... 471–472, 476–480
Sweet-Corn, Treatments for Diseases, Further Experiments: C. S. Reddy and J. R. Holbert ... 237–247
Seed-corn maggot—
food requirements of larva, study ... 626–630
Hylemyia cilicrura Rondani, Nutritional Studies: Clay G. Huff ... 625–630
Seedling blight, corn, control by seed experiments ... 237–247
Seedlings—
corn, reaction to smut infection ... 79–88
cotton—
distribution, comparison in different varieties ... 612–614
distribution per hill, determination method ... 604–605
Mortality in Sea-Island, Egyptian, and Upland Varieties, Applicability of Pearson's Equivalent Probability Method: J. Arthur Harris and Marie M. Ness ... 615–623
Stand in Sea-Island, Egyptian and Upland Varieties, Application of Criterion of Deviation of an Observed from a Random Distribution to the Problem: J. Arthur Harris, George J. Harrison, and L. M. Wadley ... 603–614
wheat, infection by mosaic-infested soil, results ... 74–75
Seeds, embryoless in wheat—
catalase tests, results ... 635
Occurrence and Behavior; Mildred E. Lyon ... 631–637
respiration and enzyme activity ... 632–635, 636
respiration, embryo and endosperm activity ... 632–635, 636
structure ... 635, 636
Setaria magna. *See* Millet, Everglade.
Sex—
chickens, influence on growth ... 535–536
cucumber plant, determination, discussion ... 742–744
neurospora hybrids, study ... 7–8, 13
Ratios, Cucumber Flowers, As Affected by Different Conditions of Soil and Light: Victor A. Tiedjens ... 721–746
Sharp, Paul Francis, and Bateman, George Monroe: A Study of the Apparent Viscosity of Milk as Influenced by Some Physical Factors ... 647–674
Sherwood, Sidney F.: Use of the Refractometer in the Analysis of Individual Sugar Beets ... 41–52
Sierra Nevada, Selection Forests, Tree Classification for: Duncan Dunning ... 755–771
Silage, corn, yields in uniform-cropping experiments ... 19–23, 25–31, 37–38
Siuslaw National Forest, growth studies of Douglas fir ... 197–201
Smith, H. D., and Hill, C. C.: Status of the Parasites of the Hessian Fly, *Phytophaga destructor* (Say), in Pennsylvania, Maryland, and Virginia ... 151–155
Smut—
of corn, inoculation experiments ... 77–88
Susceptibility of Naturally Resistant Corn when Artificially Inoculated: Marion A. Griffiths ... 77–89
Smuts, of oats, resistance, inheritance studies ... 437–456
Sod, brown-patch disease, study of cause ... 897–903
Sodium—
chlorate, use against Canada thistle ... 917–927, 931–932
cyanide, use against Canada thistle ... 922, 925, 926, 929, 932

Page

Soil—
acidity, effect of acetic acid on 271-272
colloids, composition and properties in Leonardtown silt loam 463-469
disinfection with acetic acid 269-280
fertility, effect on cucumber flower production 729-731
Leonardtown silt loam—
characteristics, vegetation, etc 460-462
Variations of Colloidal Material in Typical Areas: R. S. Holmes 459-470
moisture—
and temperature, effect on development of sweet-corn blight 241-244
effect on losses in pine plantations 996-997
mosaic-infested, effect on winter-wheat development 55-75
organisms, effect of herbicides 928-929
penetration by herbicides 923-925, 929-932
Relationships of Mosaic Disease of Winter Wheat, Further Studies: Robert W. Webb 53-75
temperature—
Arlington (Va.), Experiment Farm, April-May, 1926 241
relation to pathogenicity of tomato-wilt fungus 690-692, 693
tobacco, infection from timothy, discussion 285-287
transmission of mosaic disease of wheat 56-75
Soja max. *See* Soy bean.

Soy Bean—
Frog-Eye Leaf Spot Caused by *Cercospora diazu* Miura: Samuel G. Lehman 811-833
pathological changes due to leaf rust 828-829
Soy beans—
diseases, distinguishing symptoms 816-817
economic importance and damage from leaf spot 818
inoculation with frog-eye leaf-spot fungus 825-826
Spike density, wheat, inheritance studies 875-880, 895-896
Spray residue, removal from apples, methods 429-430
Sprays—
arsenical, results with old and new dusts 190-191
effectiveness, apparatus for aid in determination 1007-1009
herbicidal, use against Canada thistle 916-918
Spruce, seedlings, damping off, effect of acetic acid on 276-278
Stem rust, of oats, resistance, inheritance studies 437-456
Sterilization, soil, costs of acetic acid and formaldehyde 278-279
Stevenson, F. J.; Lunden, A. P.; Hayes, H. K.; and Griffee, Fred: Correlated Studies in Oats of the Inheritance of Reaction to Stem Rust and Smuts and of Other Differential Characters 437-457
Stewart, George: Correlated Inheritance in Kanred × Sevier Varieties of Wheat 873-896
Stewart's disease. *See* Wilt, Bacterial.
Storage, Dusting Mixtures of Sulphur, Lead Arsenate, and Lime, Chemical Changes During: H. S. Swingle 183-192
Stripe rust. *See* Rust, stripe.
Sucrose, content of sugar beets, determination by refractometer 41-51
Sugar content of—
apples—
American, analysis 410-416
effect of climatic conditions 310-314, 350-355, 357-364
effect of temperature 372-377
French cider, analysis 395-403
sugar beets, determination by refractometer 41-51
Sulphur-lead-arsenate-lime dusts, age, effect on contents and value 183-191
Sunlight, use in control of apple curculio 256-257
Sweet corn. *See* Corn, sweet.
Swingle, H. S.: Chemical Changes in Dusting Mixtures of Sulphur, Lead Arsenate, and Lime during Storage 183-192

Page

Tachypterus quadrigibbus. *See* Apple Curculio.
Tannin, content of—
American apples 411-414
apples, study 315-318, 359, 360, 361
French cider apples 395, 398, 400-403
Temperature—
Arlington (Va.) Experiment Farm, data for 1918-1925 343-345, 347-349
effect on development of halo spot of kudzu 427
influence on growth of *Rhizoctonia solani* 898-902, 903
"optimum," theory, application to apples 367-369, 372-376, 387-388
relation to toxicity of excretory products of tomato-wilt fungus 710-715, 717
soil, relation to pathogenicity of tomato-wilt fungus 690-692, 693
Temperatures, Mean Summer or "Optimum," in Relation to Chemical Composition in the Apple: Joseph S. Caldwell 367-389
Tetrastichus carinatus, parasitism on Hessian fly 153-154, 155
Thielavia basicola—
cause of black root rot of tobacco 270-271
control by acetic acid 270-272
Thiocyanate, use against Canada thistle 922, 923, 924, 925, 930, 932
Thistle, Canada—
Eradication with Chlorates and Other Herbicides, Experiments: Alfred Åslander 915-934
poisoning, notes 916-918
Thom, Charles, and McCulloch, Lucia: A Rot of Gladiolus Corms Caused by *Penicillium gladioli* L. McC. and Thom 217-224
Tiedjens, Victor A.—
Sex Ratios in Cucumber Flowers as Affected by Different Conditions of Soil and Light 721-746
The Relation of Environment to Shape of Fruit in *Cucumis sativus* L. and Its Bearing on the Genetic Potentialities of the Plants 795-809
Timber—
board foot-cubic foot ratios, use in measurements of Douglas fir 204-205
estimates, making, experimental methods and results 92-96
skewed frequencies, method of computation 210-213
stands—
measurement, experimental methods and results 92-96
yield studies in sample plots 193-215
Timothy—
Infusions of Different Ages, Effect on Growth of Tobacco and Brown Root Rot of Tobacco: William L. Doran 281-287
toxicity to tobacco, effect of decomposition 285-287
Titus, Harry W., and Juli, Morley A.—
Growth of Chickens in Relation to Feed Consumption 541-550
The Growth of Rhode Island Reds and the Effect of Feeding Skim Milk on the Constants of their Growth Curves 515-540
Tobacco—
germination and damping off, effect of acetic acid on 272-275
Growth and Brown Root Rot as Affected by Timothy Infusions of Different Ages: William L. Doran 281-287
rots, prevention by acetic acid 270-272, 275-276, 278
toxicity of decomposing timothy to, experimental results 282-287
Tomato Wilt—
Fungus—
cultural characteristics 676-678, 693
Fusarium lycopersici Sacc., Pathogenicity of Two Strains: H.H.Haymaker 675-695
Relation to Toxic Excretory Products from Two Strains of *Fusarium lycopersici* Sacc.: H. H. Haymaker 697-719

Page

Tomatoes—
germination and damping off, effect of acetic acid on ... 272-275
infection with wilt fungus, effect of spore load ... 679-681
resistance to wilt fungus, varietal tests ... 684-690, 700-710, 716
wilting, effect of temperature and humidity ... 710-715, 717
witches' broom, study ... 846-853

Trees—
classes, proposal ... 758-760
Classification for Selection Forests of Sierra Nevada: Duncan Dunning ... 755-771
forest—
measurement, experimental methods, and results ... 92-96
planting in northern Rocky Mountains, experiments with classes of stock ... 977-1000
growth, comparisons by classes, selection forests ... 762-763
losses, comparisons by classes, selection forests ... 763-767
seed-bearing capacity, comparison by classes, selection forests ... 767-769
volume and number for selected forests ... 761-762

Trematode Genus Zygocotyle, Host Relationship: Emmett W. Price ... 911-914

Triticum vulgare—
Puccinia glumarum on, Cytological Study: Ruth F. Allen ... 487-511
See also Wheat.

Turf, brown-patch disease, large, study of causal organism ... 897-903

Ustilago—
avenae, in oats, resistance, inheritance studies ... 437-456
levis, in oats, resistance, inheritance studies ... 437-456
zeae—
in corn, infection studies ... 78-88
See also Smut.

Vegetation, effects of weed poisons on ... 918-923, 931, 932
Viscometer, Bingham, description and use ... 649, 650-651
Viscosity, milk, physical factors affecting ... 652-672
Vitamins, content of cod-liver products, study ... 747-753

Wadley, F. M.; Harris, J. Arthur; and Harrison, George J.: Illustrations of the Application of a Criterion of the Deviation of an Observed from a Random Distribution to the Problem of Seedling Stand in Sea-Island, Egyptian, and Upland Cotton ... 603-614
Wahlenberg, W. G.: Experiments with Classes of Stock Suitable for Forest Planting in the Northern Rocky Mountains ... 977-1000
Water, distribution and supply in experimental fields ... 16-18
Weather, Arlington, Va., data for 1918-1925 ... 340-349
Webb, Robert W.: Further Studies on the Soil Relationships of the Mosaic Disease of Winter Wheat ... 53-75

Page

Weber, George F., and Weston, William H., jr.: Downy Mildew (*Sclerospora graminicola*) on Everglade Millet in Florida ... 935-964
Weeds—
perennial, control on arable land ... 931
poisoning, notes ... 915-918
Weevil, cotton boll. *See* Boll Weevil.
Weights—
Cattle—
Accuracy: J. L. Lush, F. W. Christensen, C. V. Wilson, and W. H. Black ... 551-580
See also Cattle weights.
chicken, calculation by curve fitting ... 547-550
Weston, William H., jr., and Weber, George F.: Downy Mildew (*Sclerospora graminicola*) on Everglade Millet in Florida ... 935-964
Wheat—
awn length in crosses of Kanred and Sevier ... 880-882, 888-894, 896
characters, inheritance studies ... 873-896
Inheritance, Correlated, in Kanred × Sevier Varieties: George Stewart ... 873-896
Kanred—
× Sevier Varieties, Correlated Inheritance: George Stewart ... 873-896
description, rust immunity, etc ... 874-875, 895
mottling, transmission by mosaic-infested soil ... 56-75
Seeds—
Embryoless, Occurrence and Behavior: Mildred E. Lyon ... 631-637
Sevier, description and characteristics ... 874, 895
spike density in crosses of Kanred and Sevier ... 875-880, 887-896
stripe rust, cytological study ... 487-511
Winter, Mosaic Disease, Further Studies on Soil Relationships: Robert W. Webb ... 53-75
White fly, citrus, description of two species ... 1001-1005
Wilson, C. V.; Black, W. H.; Lush, J. L.; and Christensen, F. W.: The Accuracy of Cattle Weights ... 551-580
Wilt, bacterial—
of corn, control ... 905, 910
Resistance of Different Strains and Crosses of Dent Corn: C. S. Reddy and J. R. Holbert ... 905-910
tomato. *See* Tomato wilt.
Witches' broom—
comparison with other diseases ... 851-852
of Potatoes and Tomatoes: P. A. Young and H. E. Morris ... 835-854
symptoms in potato and tomato plants ... 836-842, 846-848, 850-852
transmission experiments ... 842-846, 849-850

Young, P. A., and Morris, H. E.: Witches' Broom of Potatoes and Tomatoes ... 835-854

Zea mays saccharata. *See* Corn, sweet.
Zinzalian, G.; Kennard, D. C.; Sassaman, H. L.; and Bethke, R. M.: The Antirachitic Properties of Cod-Liver Meals ... 747-753
Zygocotyle—
ceratosa, synonym for *Zygocotyle lunata* ... 914
lunata—
from cow, description ... 911-914
hosts and comparative measurements ... 911-914
Trematode Genus, Host Relationship: Emmett W. Price ... 911-914